

BASE301 A/B/C/D/E/F/G/H/J/X

3 dBd Gain Base Station Antenna for 150 MHz band

This meticulously constructed base station antenna with integrated multipurpose mounting bracket comes with a generous bandwidth which reduces the need for multiple antennas both in stock and on installation sites.

- High power antenna design
- Customer specified center frequency in X version
- No groundplane needed

ELECTRICAL SPECIFICATIONS

Frequency	118 - 124 MHz, 124 - 130 MHz, 130 - 136 MHz, 136 - 142 MHz, 142 - 149 MHz, 149 - 156 MHz, 156 - 163 MHz, 163 - 174 MHz, 225 - 218 MHz, 118 - 174 MHz (A/B/C/D/E/F/G/H/J/X)
Bandwidth	For X version: Approx. 5 % of the specified Centre Frequency (CF)
Antenna Type	Half Wave Dipole
Impedance	50 ohm
Vswr	<1.5:1
Polarisation	Vertical
Gain	3 dBd, 5.1 dBi,
Half Power Beamwidth	30°
Electrical Beam-tilt	0°
Max. Input Power	150 W
Antistatic Protection	Direct Ground



Datasheet

2 / 4

MECHANICAL SPECIFICATIONS

Color	White, Black and Orange
Length	See Outline Drawing
Weight	Max. 1.7 kg
Mount type	Fixed Tube Mounting Bracket (included). Wall mount Bolts not included.
Mounting Place	On Tube (Ø 30 - 60 mm, vertical or horizontal) or Wall mount (mounting hole distance 68.5 mm).
Materials	Antenna: Brass, Copper, Fibreglass and Aluminium. Mounting Kit: Stainless steel A4 (AISI-316)
Survival Wind Speed	55 m/s
Operating Temperature	-55C to +70C (IEC 60068-2-1, IEC 60068-2-2)
Connector	N-female
Ingress Protection	IP66
Vibration	IEC 60068-2-6, IEC 60068-2-64
Serial no.	On product label



ORDERING INFORMATION

P/N	22310-000A: 118-124 MHz (Bulk packing)
P/N	22310-000B: 124-130 MHz (Bulk packing)
P/N	22310-000C: 130-136 MHz (Bulk packing)
P/N	22310-000D: 136-142 MHz (Bulk packing)
P/N	22310-000E: 142-149 MHz (Bulk packing)
P/N	22310-000F: 149-156 MHz (Bulk packing)
P/N	22310-000G: 156-163 MHz (Bulk packing)
P/N	22310-000H: 163-174 MHz (Bulk packing)
P/N	22310-000J: 218-225 MHz (Bulk packing)
P/N	22310-000X: 118-174 MHz (Bulk packing)
P/N	22310-001A/B/C/D/E/F/G/H/J/X (Individually packing in Polybag)
P/N	22310-004A/B/C/D/E/F/G/H/J/X (Individually packing in Carton tube)

PACKAGING INFORMATION

Type	See "Part No."
------	----------------



